

1.877.632.4118 mepbrothers.com 725 Century Street

Winnipeg MB, R3H 0M2

## **Yardmaster Garden Hose**



Experience the next generation of garden hose with the Yardmaster Garden Hose. An excellent option for residential use, the Yardmaster can be used for watering, washing vehicles, or filling above-ground pools. The Yardmaster Garden Hose is a high quality, rubber water hose with brass fittings. 5/8" Hose Coupled Male x Female

Part Number	Description	Sale Price
07-GOLF-YARD-062X100-MXF	100' Hose	\$85.08
07-GOLF-YARD-062X75-MXF	75' Hose	\$68.15
07-GOLF-YARD-062X50-MXF	50' Hose	\$45.55

## **Garden Hose Fittings & Nozzles**



Short Shank GHT Coupling with Hex Nut 04-GHD-5891212K



\$8.89

Garden Hose Quick Connect Assembly 04-GHD-5000CK \$43.02

Adjust-a-Power Nozzle 04-NOZ-AAPN75GHT \$15,95









**Sweeper Nozzle** 04-NOZ-PSN76 \$4,65 Brass Twist Nozzle 04-N0Z-500AN4

\$7.85 Garden Hose Y Valve

09-Y-500GHY \$21.15

**GHT 4-Valve Manifold** 09-MAN-500GH4VBK \$32.75

Male NPTF x Hose Barb 04-N07-BN6 \$23.79



## **Premium Garden Hose**

Construction Tube: EPDM Synthetic Rubber, ARPM Class C (Limited Oil Resistance)

Cover: EPDM Synthetic Rubber, ARPM Class C (Limited Oil Resistance)



Reinforcement: Spiral Synthetic Yarn, 2" Size is braided

Temperature Range: -40°F to 210°F (-40°C to 99°C)

Working Pressure: 200 PSI

5/8" Hose Coupled Male x Female Garden Hose Fitting

Part Number	Description	Sale Price
07-C-MP-062X50-GH-MXF	50' Hose	\$69.99

## **Pluto Pressure Wash Assembly**



Designed for high-pressure washer equipment with working pressures up to 4000 PSI. Features braided steel wire reinforcement for excellent durability and long life. Pluto Pressure Wash Hose is made in the USA.

Coupled Male NPT x Male Swivel NPT Working Pressure: 4000 PSI (27.58 MPa) Temperature: -20 to 250 °F

Part Number	Description	Sale Price
07-C-PW-037X100-MXMS	3/8" x 100'	\$129.99
07-C-PW-037X50-MXMS	3/8″ x 50′	\$70.25





Get 10% back on a gift card to your favourite local restaurant when you spend \$250.00 or more.

Available for flyer spend items only. While quantities last.



### **Galvantator Pressure Wash Assembly**

Galvanator hose was manufactured specifically for use in pressure washer equipment. The cover offers rust-resistant reinforcement and superior abrasion resistance, which provides maximum protection against oil,fats and water.



Coupled Male NPT x Male NPT Swivel.

Working Pressure: 3000 PSI

Temperature Range: -20°F to 250°F (-29°C to 121°C)

Part Number	Description	Sale Price
07-C-PW-GAL-038x100	3/8" x 100'	\$327.99
07-C-PW-GAL-038x75	3/8" x 75'	\$249.75
07-C-PW-GAL-038X50	3/8″ x 50′	\$168.75

## **Pressure Wash Accessories**



Part Number	Description	Sale Price
04-PW-AL323XX	24″ Molded Grip Extension	\$15.52
04-PW-AL324XX	36″ Molded Grip Extension	\$16.65
04-PW-AL325XX	48″ Molded Grip Extension	\$27.61
04-PW-HPSG	Pressure Spray Gun Anti-Fatigue	\$51.58

## **PVCS Suction Strainer Assembly**



A lightweight, medium-duty water suction and discharge hose for applications where low temperature flexibility is required.

Cold blue assemblies are coupled Aluminum C Cam & Groove x Strainer

Temperature Range: -40°F to 150°F (-40°C to 66°C)

Part Number	Description	Sale Price
07-C-PVCS-LT-150X20-CXSTRAIN	1 1/2" x 20'	\$83.50
07-C-PVCS-LT-200X20-CXSTRAIN	2" x 20'	\$109.02
07-C-PVCS-LT-300X20-CXSTRAIN	3" x 20'	\$179.80
07-C-PVCS-LT-400X20-CXSTRAIN	4" x 20'	\$273.10

## **Spiraflex Aggie PVC Suction Hose**

## 

Spiraflex aggie PVC is a general-purpose water suction hose for use in industrial, agriculture and construction applications. Tube: Clear Pliovic®

Reinforcement: High-density white rigid Pliovic helix Temperature Range: 0°F to 158°F (-18°C to 70°C)

Part Number	Hose ID	Working PSI	Sale Price
03-PVCS-AG-150	11/2″	89	\$1.25/FT
03-PVCS-AG-200	2″	79	\$1.85/FT
03-PVCS-AG-250	2 1/2″	65	\$2.12/FT
03-PVCS-AG-300	3″	65	\$3.08/FT

## **Strainers**



Part Number	Description	Sale Price
04-SHS-200	Square Hole, 2" Connector	\$15.70
04-THS-300	Top Hole, 3" Connector	\$65.00
04-BHS-150	Bottom Hole, 11/2" Connector	\$29.00
04-BHS-300	Bottom Hole, 3" Connector	\$82.00
04-RHS-150	Round Hole, 11/2" Connector	\$11.57
04-RHS-200	Round Hole, 2" Connector	\$14.96
04-RHS-250	Round Hole, 2 1/2" Connector	\$21.69
04-RHS-300	Round Hole, 3" Connector	\$20.20
04-RHS-400	Round Hole, 4" Connector	\$22.06

## **Pull Type Drum Pump**



For use with most mild acids, detergents, water and solvents

Good insulation from spark and fire

Fits 5 to 55-gallon drums with 3/4" or 2" bung adaptor

Part Number	Description	Sale Price
21-DC116	5-55 Gal. Drums, 8oz./Stroke	\$38.50

1.877.632.4118

## **Versiflo 150 RWS Suction Hose**

Versiflo 150 is a multipurpose hose ideal for both water suction and discharge purposes. It is a light to medium-duty water hose that can be used in various industrial, agricultural and construction environments.

Tube: EPDM Synthetic Rubber

Cover: EPDM Synthetic Rubber (Wrapped Finish) Reinforcement: Spiral-plied Synthetic Fabric with Wire Helix Temperature Range: -25°F to 200°F (-32°C to 93°C) Working Processor 150 PSI

Working Pressure: 150 PSI

Part Number	Description	Sale Price
03-RWS-VFL0-200	2″ ID	\$10.41/FT
03-RWS-VFL0-300	3″ ID	\$17.09/FT
03-RWS-VFL0-400	4″ ID	\$17.15/FT
03-RWS-VFL0-600	6″ ID	\$36.23/FT

## Layflat Blue Assemblies

Spiraflex Blue is a premium, light-duty water hose with a wide range of applications.

Tube & Cover: Blue PVC compound

Reinforcement Synthetic fabric

Coupled with aluminum Cam & Groove fittings C x E

Temperature Range: -10°F to 150°F (-23°C to 66°C)

Part Number	Description	Sale Price
07-C-LAY-150X50-CXE-BLU-CTL	1 1/2" x 50'	\$54.81
07-C-LAY-200X50-CXE-BLU-CTL	2" x 50'	\$71.56
07-C-LAY-300X50-CXE-BLU-CTL	3″ x 50′	\$118.10
07-C-LAY-400X50-CXE-BLU-CTL	4" x 50'	\$162.19

## **Layflat Yellow Assemblies**

Spiraflex Yellow hose is a great option for an industrial strength water hose.



Cover: Yellow fire-retardant Pliovic, MSHA 2G-14C/15

Reinforcement: Synthetic fabric

Tube: Black Pliovic/Nitrile PVC

Temperature Range: -10°F to 150°F (-23°C to 66°C) Counled with Cam & Groove CxE

Coupled	WILLI	Calli &	GLOOAG	UXE.	

Part Number	Description	Sale Price
07-C-LAY-200X50-CXE-YLW-CTL	2" x 50'	\$171.46
07-C-LAY-300X50-CXE-YLW-CTL	3" x 50'	\$290.87



## Versiflo 125 Rubber Water Discharge

Construction Tube: Black EPDM Synthetic Rubber Cover: Black EPDM (Wrapped Finish) Reinforcement: Spiral-plied Synthetic Fabric Temperature Range: -25°F to 200°F (-32°C to 93°C) Working Pressure: 125 PSI

Part Number	Description	Sale Price
03-RWD-V125-200	2″ ID	\$3.27/FT
03-RWD-V125-250	2 1/2″ ID	\$4.93/FT
03-RWD-V125-300	3″ ID	\$5.54/FT
03-RWD-V125-400	4″ ID	\$7.79/FT

## Versiflo 125 Assemblies



Construction Tube: Black EPDM Synthetic Rubber Cover: Black EPDM (Wrapped Finish)

Reinforcement: Spiral-plied Synthetic Fabric

Temperature Range: -25°F to 200°F (-32°C to 93°C) Working Pressure: 125 PSI

Coupled Aluminum Instalock C x E

Part Number	Description	Sale Price
07-C-RWD-200X50-CXE-AL-IL	2" x 50'	\$234.58
07-C-RWD-300X50-CXE-AL-IL	3" x 50'	\$394.82
07-C-RWD-400X50-CXE-AL-IL	4" x 50'	\$595.45

## **Polycarbonate Fog Nozzles**



Part Number	Description	Sale Price
04-NOZ-FN1030	1" Red – NPSH Thread	\$15.52
04-NOZ-FN1575	1-1/2" Comb Nozzle	\$12.98

# BROTHER

## Versiflo 150 RWS Suction Hose

Versiflo 150 is a multipurpose hose ideal for both water suction and discharge purposes. It is a light to medium-duty water hose that can be used in various industrial, agricultural and construction environments.

Tube: EPDM Synthetic Rubber

Cover: EPDM Synthetic Rubber (Wrapped Finish)

Reinforcement: Spiral-plied Synthetic Fabric with Wire Helix


Temperature Range: -25°F to 200°F (-32°C to 93°C)

Part Number	Description	Sale Price
03-RWS-VFL0-200	2″ ID	\$10.41/FT
03-RWS-VFL0-300	3″ ID	\$17.09/FT
03-RWS-VFL0-400	4″ ID	\$17.15/FT
03-RWS-VFL0-600	6″ ID	\$36.23/FT

## **Arctic Ortac Slip Tank Hose**

For use with air, water, oil, kerosene, fuel oil and some chemical applications.

Construction Tube: Nitrile Synthetic Rubber; ARPM Class A (High Oil Resistance)



Oil Resistance) Reinforcement: 1 Textile Braid

Temperature Range: -65°F to 180°F (-54°C to 82°C)

Working Pressure: 300 PSI

Coupled Male NPT x Male NPT Swivel

Part Number	Description	Sale Price
07-C-MP-ORT-LT-075X15-MXMS	3/4" x 15'	\$129.15
07-C-MP-ORT-LT-075X10-MXMS	3/4" x 10'	\$93.63
07-C-MP-ORT-LT-075X20-MXMS	3/4" x 20'	\$165.94
07-C-MP-ORT-LT-100X10-MXMS	1" x 10'	\$140.80
07-C-MP-ORT-LT-100X15-MXMS	1" x 15'	\$187.36
07-C-MP-ORT-LT-100X20-MXMS	1" x 20'	\$233.93

## **Air Hose Assemblies**



Conti Pro Air Hybrid 3/8" x 50' MxM 07-AIR-PRO-HY-038X50-MXM \$65.99

Conti Pro Air Black 3/8" x 50' MXM 07-AIR-PRO-038X50-MXM \$68.99

Polyurethane Air Hose 1/4" x 50' MXM 07-AIR-PU-450-4S \$45.35

## **Continental/Cox Air Hose Reel**



Continental's premium built hybrid air and water hose is designed for a wide range of industrial, construction and agricultural applications. When it's combined with CoxReels, you get a best-in-class hose management solution that's an industry first.

Part Number	Description	Sale Price
21-NHR-CONTI-21098546	3/8" x 50'	\$573.25

## **Self Storing Air Hose**

Ether based polyurethane self-store coiled tubing & hose assemblies for air tool service.

Standard assemblies have 4" pigtail and 20" whip end.

Permanent crimped male swivel brass fittings provide greater strength and pull-out resistance.

Rubber bend restrictors over fittings prevents scratches and scuffs. Coupled: 1/4" ID - 1/4" x 1/4" M NPT, 3/8" ID - 3/8" x 1/4"M NPT.

Part Number	Description	Sale Price
03-AIR-SS-04-10-KT	1/4" x 10'	\$9.99
03-AIR-SS-04-12-DX	1/4" x 12'	\$21.15
03-AIR-SS-06-15-KT	3/8" x 15'	\$24.10

## **Air Tool Chucks**

A Be	Easy to read pressure gauges for standard tire valves	
Part Number	Description	Sale Price
04-PG-DFG2	10 - 150 PSI, 2 PSI Increment	\$22.43
04-PG-DFG5	5 - 45 PSI, 1 PSI Increment	\$7.38

## **Regulators**



1/4 " B07 Series 1 Auto Drain Mini Filter/Regulator 04-PND-B07-202AGC \$89.65



1/4" B07 Series 1 Manual Drain Mini Filter/Regulator 04-PND-B07-202MGC



1/4" L07 Series 1 Mini Lubricator 04-PND-L07-200AC \$59.68

\$85.43

## es 1 tor

1/4" R07 Series 1 Releiving Mini Regulator 04-PND-R07-200RGC

1/4" F07 Series 1

Auto Drain Mini

04-PND-F07-200AC

1/4" F07 Series 1

04-PND-F07-200MC

Manual Drain

Mini Filter

\$39.39

Filter

\$46.26

\$47.83

## **Air Fitting Kits**



1/4" Industrial DQC DF Series Quick Coupler Set Contents: 2FF2-B, D2F2, D2M2 (3) 04-PND-DQCKIT1 \$12.79



#### 1/4" Industrial DQC DF Series Automatic Quick Coupler Set Contents: 2DF2-B, D2F2, D2M2 (3) 04-PND-DQCKIT2 \$15.89



Contents: 2MF2-B, M2M2 04-PND-DQCKIT3

**ARO DOC M-Series Quick Coupler Set** 





Automotive DQC J-Series Quick Coupler Set Contents: 2JF2-B, J2M2 04-PND-DQCKIT4 \$9.75



Industrial DQC DF-Series Quick Coupler Set Contents: 2FF2-B, D2M2 04-PND-DQCKIT5 \$8.79

Industrial DQC DF-Series Quick Coupler Set Contents: 2FM2-B, D2F2 04-PND-DQCKIT6 \$8.29

# **SPRING**

## **Blow Guns**

Blow gun body is designed to comfortably fit the contour of the hand, minimizing user fatigue.

Large lever with black vinyl grip further adds to the ergonomic design and allows for easy air flow activation.



Recessed internal slotted screw allows easy access to valve assembly for repairs or replacement.

Part Number	Description	Sale Price
04-GUN-D204-30	Safety Blow Gun	\$12.40
04-GUN-D204-30P	Premium Safety W/ Black Finish	\$12.86
04-GUN-D201	Non Safety Tip	\$13.48

## **Air Tool Lubricant**

Prolongs the service life of air tools, cylinders and accessories while permitting maximum performance.



Use with in-line lubricators

#10 weight lubricant

Compound is superior in performance to ordinary lubricants

Prohibits rust and removes moisture as it lubricates

Non-corrosive, non-reactive and does not decompose

Part Number	Description	Sale Price
18-DATL128	1 Gallon Bottle	\$43.66
18-DATL016	1 Pint Bottle	\$10.15

## **Tote Spill Kits**



Be prepared for fast response with a high-visibility Spill Kit!

Durable, water-resistant zip up vinyl bag

Packed with a variety of quality sorbents to handle spills

Compact design is perfect for use in trucks or other equipment

Part Number	Description	Sale Price
27-SPKU-TOTE	Universal, Up To 8.09 Gal	\$50.00
27-SPKO-TOTE	Oil Only, Up To 7.49 Gal	\$50.00

mepbrothers.com



## **Commander Rolls & MagRack**



Magentic Commander Roll Holders keep universal absorbents on hand in any location. Attaches to metallic surfaces using 2 strong magnets, remains in place until it needs to be moved.

Universal gray Commander pads safely absorbs most liquids. Perforated every 10" for easy size selection of sorbents, and are free of damaging grit and dust.

Part Number	Description	Sale Price
15-ROLL-GRSF1550S	Case/12 15" x 50' Rolls	\$274.00

Get a FREE 15-A-MAGRACK Magnetic Roll Rack with every 2 cases

## **Spill King Granular Sorbent**

1.5 CU FT heat sealed plastic bag

Lightweight Granular Absorbent

EPA Approved & OSHA Compliant

Non-Leaching Non-toxic, Non-flammable, Eco-Friendly

Can NOT Absorb Hydrodflauric Acid

Part Number	Description	Sale Price
15-GRAN-SKING	Per Bag	\$21.99

Get a FREE 15-GRAN-PS20 Sifter with every 10 bags

## **Oil-Only Responder Pads**

Economical MeltBlown mat for effective oil response



Best performing pad on water due to fast-wicking fibers

Highly absorbent MeltBlown polypropylene mat repels water and soaks up only oil and oil-based fluids, floats even when completely saturated

Won't fall apart even when fully saturated

Part Number	Description	Sale Price
15-MAT-WP100M	Bale of 100 Pads	\$50.00

## **Universal Defender Pads**



General-purpose SonicBonded mat for overspray and everyday use.

Abrasion-resistant top layer gives pads strength for everyday cleanup jobs

Quickly absorbs leaks, spills and overspray to keep floors dry

Perforations allow you to tear pads into different sizes based on your application

Part Number	Description	Sale Price
15-MAT-GPB200S	Bale of 200 Pads	\$75.00

## Mini Berms



The Mini Berm is an ultra-lightweight and convenient spill tray. Totally reusable and compact, the Mini-Berm withstands most liquids, is designed to take standard-sized sorbent pads. Mini Berms meet EPA regulation 40CFR112.7.

Part Number	Description	Sale Price
15-BRM-MB-TTMB486Y	48" x 48" x 6" Yellow	\$125.00
15-BRM-MB-TTMB366Y	36" x 36" x 6" Yellow	\$115.00
15-BRM-MB-TTMB246Y	24" x 24" x 6" Yellow	\$75.00

## 2 Drum Workfloor Spill Deck

2 Drum Workfloor Spill Decks are made for the containment of fuels and chemicals in the case of a drum or other container failure. Made of 100% recyclable polyethylene, Spill Decks are highly



resistant to chemicals and ARE UV resistant for outdoor use. Bright yellow color for easy identification in nearly any conditions.

Part Number	Description	Sale Price
15-DECK-SJ-300-001	2 Drum Deck	\$240.00

## **Spill Pallets**



Spill pallets are made for the containment of fuels and chemicals in the case of a drum or other container failure. Made of 100% recyclable polyethylene, Spill Pallets are highly resistant to chemicals and are UV resistant for outdoor use. Bright yellow color for easy identification in nearly any conditions.

Part Number	Description	Sale Price
15-PAL-SJ110006	4 Drum	\$430.00
15-PAL-SJ2EPLAT	2 Drum	\$315.00

## **Chemshield L-Rod Instaberm**

Designed to provide secondary containment under fuel tanks and drums, the Chemshield L-Rod Instaberm uses L-rods inside fabric pockets to provide support. Durable and reliable, use it virtually anywhere



for secondary containment or storage of toxic materials. Can fold down easily for entry and exit.

Part Number	Description	Sale Price
15-BRM-LROD-60X72	60" x 72"	\$275.00

## **Economy Containment Berm**



Large-scale, drive-in containment helps meet regulations without breaking your budget.

Copolymer 2000, 28 oz.

Part Number	Description	Sale Price
15-BRM-ECONO-1050E	10' x 50' x 1'	\$1245.00

#### Gloves



North Sea Premium Winter PVC Gloves 26-NS200B \$6.90 / Pair, Sold in 12's

Endura Split-Leather Fitter Gloves 26-660 \$2.50 / Pair. Sold in 12's



Endura Cotton-Palm Lined Grain Fitters Glove 26-76B

\$5.30 / Pair, Sold in 12's



Hyd-Tuf Nitrile Coated Gloves 26-PVC-52-547-10 \$4.95 / Pair, Sold in 12's



Chemstop Premium 14" Green PVC Glove 26-F236 \$4.05 / Pair, Sold in 12's



**Chemstop Heavy-Duty Fully Nitrile-Coated Gauntlet** 26-N9B-10

\$4.85 / Pair, Sold in 12's

Nitrile Dipped Gloves 26-751185/QP \$12.00 / Pack



## **TDG Safety Placards**



Part Number	Description	Sale Price
01-PLCD-2.1	Class 2 Flammable Gas, Blank	\$3.25
01-PLCD-2.2	Class 2 Non-Toxic Gas	\$3.25
01-PLCD-3	Class 3 Flammable Liquids Blank	\$3.25
01-PLCD-8	Class 8 Corrosives Blank	\$3.25
01-PLCD-9	Class 9 Dangerous Goods Blank	\$3.25
01-PLCD-DANGER	DANGER placard	\$3.25

## **Diesel Mate All Seasons**



Conditions diesel fuel to prevent severe operating problems caused by today's poor quality fuel. Contains lubricants to reduce friction and wear, boosts cetane rating by up to 15%, separates out water; keeps injectors, fuel pumps, and filters cleaner; reduces corrosion, inhibits fuel oxidation and gum formation, reduces gelling, and improves fuel economy by an average of 5%.

Part Number	Description	Sale Price
18-DIESEL-MATE	946 ml Bottle	\$21.50

## **Escape Mouthbit Respirator**

Offers a quick and economical method to escape non-IDLH emergency situations.

Belt clip for fast and easy access

Soft and flexible mouthpiece designed for grip and comfort.

Tyvek cover on mouthpiece protects and keeps it clean

Wide nose clip fits most facial types

Part Number	Size	Sale Price
14-RESP-ESCAPE-7904	Escape Mouthbit	\$17.30

mepbrothers.com





## **Rapp-It Pipe Repair Kit**



No mixing or measuring required, easy to apply Tenacious bond: 5 to 10 min., functional cure

One product that can be used on a vast array of pipe sizes, shapes, and materials

Suitable for use on acid lines, gas, most diluted chemicals, sea water, fuels, and oil

Suitable for wet or dry pipe: apply under fresh and saltwater

approx. 30 min.

Kit includes woven fiberglass bandage infused with water-activated resin and a 90 mm stick of Rapp-it Steel Putty

Approval: NATO Certification 4730-66-1257893

Part Number	Size	Sale Price
15-RAP-122	2" x 12'	\$50.40
15-RAP-123	3" x 12'	\$54.88
15-RAP-124	4" x 12'	\$66.46
15-RAP-164	4" x 16'	\$72.51

### **Ice Bear Boots**

Light weight abrasion resistant Polyurethane (PU) moulded boot Wide fit through the calf and foot

Thermal PU compound is cold crack resistant to -50°C

New lug outsole design gives added traction

Minus -50°C/-58°F comfort rated

Metal free safety toe and plate

CSA / ASTM / CE approved, ESR / EH rated

Part Number	Size	Sale Price
16-5157	Size 9 - 14	\$170.00

1.877.632.4118



#### spend & Get A Gift Card!

Get 10% back on a gift card to your favourite local restaurant when you spend \$250.00 or more.

Available for flyer spend items only. While quantities last.

## **Turbotoe Safety Toe Caps**

Certification(s): CSA Z334-14

100% waterproof, will not harden, stiffen or crack

Can be comfortably worn over low-heel, dress and running shoes and most boots

Certified to CSA standard Z195-09- Protective Footwear Grade 1 protection



Part Number	Size	Sale Price
14-TOE-SED175	XSmall White	\$21.31
14-TOE-SED176	Small White	\$21.31
14-TOE-SED177	Medium Yellow	\$21.31
14-TOE-SED178	Large Red	\$21.31
14-TOE-SED179	XL Blue	\$21.31
14-TOE-SED180	2XL Blue	\$21.31

## Flame Resistant Pu Stretch Hi-Viz Waterproof Jacket

FR treated 100% polyurethane/poly

Meets CGSB 155.20-2000 Type 3

5892/5894 – CSA Z96-15 Class 2 Level 2 and Class 2 Level FR (becomes Class 3 when worn with FR hi-viz pant featuring reflective leg bands) and ANSI/ISEA 107-15 Class 3 Type P and R

5894BK-CSA Z96-15 Class 1 Level 2 and Class 1 Level FR and ANSI/ISEA 107-15 Class 1 Type 0

Passes ASTM D6413-13 flame resistance test

Oil and chemical resistant

100% waterproof and windproof

Lightweight and tough 4-way stretch PU

StarTech™ FR reflective tape

Heat welded seams

Extra-large detachable hood

Full front zipper with snap storm placket

Part Number	Size	Sale Price
16-FR-V3520150	XS - 7XL	\$82.25

mepbrothers.com

